

Copper-Tolerant Hull-Borne Invasive Species: Further Analysis

Some marine organisms, such as the fouling alga *Ectocarpus siliculosus*, have developed resistance to copper-based antifouling paints.^{1 2} This adaptation may be evidence of an evolutionary process among ship fouling organisms.³ Resistance to heavy metals is a potentially important trait for invasive marine species, facilitating their success in invading disturbed, natural communities. For example, the invasive bryozoans *Bugula neritina* and *Watersipora subtorquata* can settle, survive and grow in elevated concentrations of copper.^{4 5} The invasive bryozoans *Schizoporella errata* and *Tricellaria occidentalis* also have a wide range of copper tolerance.⁶ In addition, copper contamination has contributed to lowering the numbers of some ascidians, or sea-squirts, that are less copper-tolerant and increasing the density of some polychaetes, or marine worms, that would otherwise be limited for space by the ascidians.⁷



Crowded Marina
Cesar Alvarez, UC SGEP

from antifouling paints and other sources could help native species that are less tolerant of heavy metal and other pollutants to resist invasions.¹¹



Watersipora subtorquata
Luis A. Solorzano, Californiabiota.com

Scientists have also investigated how biodiversity, or a variety of different species, affects the ability of a native ecosystem to resist invasions. Decreasing native diversity increases the survival of invaders both in the field and in experimentally assembled communities.⁸ For example, communities with increased diversity more completely and efficiently use available space which decreases the chance for successful invasions.⁹

New research in San Francisco Bay suggests that invasive species tolerate copper better than native species do. Scientists compared the diversity of invasive and native fouling species when exposed to varying concentrations of copper contamination. The diversity of natives declined with increasing contamination while the diversity of invasive species did not.¹⁰ These results suggest that improving coastal water quality by reducing pollution

Research in Australia indicates that certain invasive species benefit from highly polluted environments and that human disturbance can help invasive species to become established and spread in marine systems.¹² Two sites in each of two harbors in New South Wales, Australia, were treated by increasing heavy metal pollution. As pollution levels increased, native species diversity decreased, while there was no significant change in numbers of invasive species.¹³ Scientists also found that, despite the use of copper-based antifouling paints, several invasive species, such as the bryozoans *Bugula neritina* and *Watersipora subtorquata*, were able to colonize boat hulls.¹⁴

An accumulation of heavy metals from antifouling paints has the potential to enhance the success of invaders. Copper tolerance and abundance of the tubeworm, *Hydroides elegans*, in recreational harbors may be related to its transportation on hulls of recreational vessels.¹⁵ In other words, those that survived voyages on copper treated hulls may have passed along their ability to tolerate copper to their descendents.



3 Months Growth of Tubeworms and Sea Squirts
Cesar Alvarez, UC SGEP

Scientists also found that copper-tolerant species may provide a foundation for others to colonize. As a result, less-tolerant species can become more abundant on hulls and thus be transported to new areas more readily than would otherwise be possible.¹⁶

Since this is a new area of research, a comprehensive survey for copper tolerance among fouling species remains to be done. However, early indications suggest that at least some invasive fouling species are tolerant of copper, as some weeds and insects are less susceptible to agricultural pesticides and some bacteria are resistant to antibiotics. Since most recreational vessels travel infrequently¹⁷ and remain in marinas for longer periods of time than commercial vessels, this provides opportunities for invasive species to settle and eventually be transported on recreational boat hulls. Boat owners may wish to consider using a variety of fouling control methods to deal with this new challenge and to slow development of resistance to new methods.

Please see our publications on protecting water quality and preventing the hull transport of invasive species on our website <http://seagrant.ucdavis.edu>

References

1. Hall, A. 1981. Copper accumulation in copper-tolerant and non-tolerant populations of the marine fouling alga, *Ectocarpus siliculosus* (Dillwyn) Lyngbye. *Botanica Marina* 24:223–228.
2. Russell, G. and O.P. Morris. 1970. Copper tolerance in the marine fouling alga *Ectocarpus siliculosus*. *Nature* 228: 288-289.
3. Russell, G. and O.P. Morris. 1973. Ship fouling as an evolutionary process, Proceedings of the 3rd International Congress of Marine Corrosion and Fouling: 719-730, Washington, DC, 1972.
4. Piola, R.F. and E.L. Johnston. 2005. Differential tolerance to metals among populations of the introduced bryozoan *Bugula neritina*. *Marine Biology* (Published Online, November 2005).

5. Mackie, J.A. 2003. A Molecular Analysis of Bryozoan Dispersal. PhD Thesis, Department of Zoology, University of Melbourne.
6. Piola, R.F. and E.L. Johnston. 2006. Differential resistance to extended copper exposure in four introduced bryozoans. *Marine Ecology Progress Series* 311:103-114.
7. Dafforn, K.A., T.M. Glasby, and E.L. Johnston. 2008. Differential effects of tributyltin and copper antifoulants on recruitment of non-indigenous species. *Biofouling* 24(1):23-33.
8. Stachowicz, J.J., H. Fried, R.W. Osman, and R.B. Whitlatch. 2002. Biodiversity, invasion resistance, and marine ecosystem function: Reconciling pattern and process. *Ecology* 83(9): 2575-2590.
9. Stachowicz, J.J., R.B. Whitlatch, and R.W. Osman. 1999. Species Diversity and Invasion Resistance in a Marine Ecosystem. *Science* 286:1577-1579.
10. Crooks, J. 2005. Oral commentary. Vessel Fouling Technical Advisory Group, October 13, 2005: Meeting Summary. California State Lands Commission, Sacramento, CA.
11. Crooks, J.A., A.L. Chang, and G.M. Ruiz. Draft 2006. Pollution Increases the Relative Success of Exotic Species. Draft submitted for publication.
12. Piola, R.F. and E.L. Johnston. 2005. Differential tolerance to metals among populations of the introduced bryozoan *Bugula neritina*. *Marine Biology* (Published Online, November 2005).
13. Piola, R.F. and E.L. Johnston. 2008. Pollution reduces native diversity and increases invader dominance in marine hard-substrate communities. *Diversity and Distributions* 14:329-342.
14. Floerl, O., Pool, T.K., and G.J. Inglis. 2004. Positive interactions between nonindigenous species facilitate transport by human vectors. *Ecological Applications* 14:1724-1736.
15. Dafforn, K.A., T.M. Glasby, and E.L. Johnston. 2008. Differential effects of tributyltin and copper antifoulants on recruitment on non-indigenous species. *Biofouling* 24(1):23-33.
16. Floerl, O., Pool, T.K., and G.J. Inglis. 2004. Positive interactions between nonindigenous species facilitate transport by human vectors. *Ecological Applications* 14:1724-1736.
17. Widmer, W.M. and A.J. Underwood. 2004. Factors affecting traffic and anchoring patterns of recreational boats in Sydney Harbour, Australia. *Landscape and Urban Planning* 66:173-183.

Jamie Gonzalez, Program Representative and Leigh Johnson, Marine Advisor
University of California Cooperative Extension-Sea Grant Extension Program
County of San Diego MS-O18, 5555 Overland Ave Ste 4101, San Diego, CA 92123
UCSGEP-SD 08-1 • April 2008



This work was sponsored in part by NOAA, National Sea Grant College Program of the U.S. Department of Commerce's National Oceanic and Atmospheric Administration under NOAA Grant #NA080AR4170669, project number A/E-1 through the California Sea Grant College Program, and in part by the California Department of Boating and Waterways under agreement number 05-106-116, the United States Environmental Protection Agency, under grant number NW009982-01-0, the California State Resources Agency, the University of California Agriculture and Natural Resources and Cooperative Extension, and the County of San Diego. The views expressed herein are those of the authors and do not necessarily reflect those of the sponsors or any of their sub-agencies. The U.S. government may reproduce and distribute for governmental purposes.

The University of California prohibits discrimination or harassment of any person on the basis of race, color, national origin, religion, sex, gender identity, pregnancy (including childbirth, and medical conditions related to pregnancy or childbirth), physical or mental disability, medical condition (cancer-related or genetic characteristics), ancestry, marital status, age, sexual orientation, citizenship, or status as a covered veteran (covered veterans are special disabled veterans, recently separated veterans, Vietnam era veterans, or any other veterans who served on active duty during a war or in a campaign or expedition for which a campaign badge has been authorized) in any of its programs or activities. University policy is intended to be consistent with the provisions of applicable State and Federal laws. Inquiries regarding the University's nondiscrimination policies may be directed to the Affirmative Action/Staff Personnel Services Director, University of California, Agriculture and Natural Resources, 1111 Franklin Street, 6th Floor, Oakland, CA 94607-5200, (510) 987-0096. University of California, United States Department of Agriculture, United States Department of Commerce and County of San Diego cooperating.