Risk Assessment Tool for 4-H Project Animals

| 1713 | K ASSESSMENT TO | <u> </u> | 101 1 11 11 0 3 2 5 1 | / \ | iiiiiais | |
|---|--|----------|--|-----|---|---|
| Risk Factors | Low Risk | ✓ | Moderate Risk | ✓ | High Risk | ✓ |
| | ANI | MAL | | | | |
| Contact with other species (wild and domesticated) | Never or Seldom | | Occasionally | | Frequent | |
| Quarantine procedures for introduction of new animals | Quarantine procedures always used | | Quarantine procedures sometimes used | | Quarantine procedures never used | |
| Vaccinations | All recommended vaccinations | | Some recommended vaccinations | | No recommended vaccinations | |
| Vaccination Status | All current | | Some current | | None | |
| | HUI | MAN | | | | |
| Non-Owner Human Contact | Never or Seldom | | Occasionally | | Frequent | |
| Clothing | Protective clothing; only worn in barn; cleaned after each use | | Protective clothing; only worn in the barn | | No specific clothing when working with animals | |
| Footwear | Footwear only worn in barn; disinfected after each use | | Footwear worn only in barn; cleaned after each use | | No specific footwear; footwear not cleaned after each use | |
| Hand Washing | Always was hands before and after contact with animals | | Occasionally wash hands before or after contact with animals | | Rarely wash hands before or after contact with animals | |
| | HOUSING | & T | OOLS | | | |
| Housing (same species) | Animal housed individually | | Animal housed in small group | | Animal housed in large group | |
| Bedding | Clean and dry | | Soiled and/or damp | | Foul and/or wet | |
| Vermin and Vector Control | No visible signs of vector or vermin | | Some visible signs of vector and vermin | | Many visible signs of vector and vermin | |
| Climate (heat, cold, moisture) | Minimal exposure to extremes | | Sometimes exposed to extremes | | Frequently exposed to extremes | |
| Air Flow | Adequate ventilation | | Some ventilation | | No ventilation | |
| Tools, Equipment, Vehicles | Cleaned & sanitized after each use | | Cleaned sometimes | | Rarely or never cleaned | |
| | FOOD AN | D W | ATER | | | |
| Food Quality | Food is clean and fresh | | Food is clean; not fresh | | Food is moldy, dirty or spoiled | |
| Water Quality | Clean water; circulated | | Clean water; standing | | Dirty water | |
| Food and Water Access | Individual food and water | | Shared food and water | | Group food and water; many animals | |
| | TRANSPO | RTA | TION | | | |
| Transportation Frequency | Rarely or never transported | | Transported sometimes | | Transported frequently | |
| Transportation with animals | Always transported alone | | Only transported with animals from same farm | | Transported with animals from different farms | |

In: Smith, et al. (2009). Understanding and Applying Bio-Security in 4-H Animal Science. University of California, Division of Agriculture and Natural Resources. (*In press.*)

These materials may not be reprinted without written permission from Veterinary Medicine Extension, University of California, Davis.